

**1. Hematinic Syrup of Iron, Folic acid and Vitamin B12 (For therapeutic use)**

Composition;

Each 15 ml contains:

Ferric Ammonium Citrate	I.P.	160 mg
e.q. to Elemental Iron		32.8 mg
Cyanocobalamin	I.P.	7.5 mcg
Folic Acid	I.P.	0.5 mg
Flavoured Palatable Syrupy Base		Q.S.

Colour: Erythrosine (Colour Index 45430) Caramel I.P.

**2. Iron with Vitamin B-Complex syrup (For Therapeutic use)**

Composition:

Each 10 ml contains:

Ferrous Gluconate		200 mg
Vitamin B12	I.P.	2.5 msg
Vitamin B1	I.P.	2.25 mg
Vitamin B2	I.P.	2.5 mg
Vitamin B6	I.P.	0.75 mg
D-Panthenol	I.P.	2.5 mg
Niacinamide	I.P.	25 mg
Flavour Syrupy Base	I.P.	Q.S.

Colour: Caramel

**3. Iron, Folic Acid, Lysine with Vitamin B12 Syrup**

Composition:

Each 5 ml contains:

Iron Choline Citrate		150 mg
Folic Acid	I.P.	1.0 mg
Lysine HCl	USP	70 mg
Vitamin B12	I.P.	5 mcg
Flavoured palatable Syrup Base		Q.S.

Colour: Caramel

**4. Dried Aluminium Hydroxide, Magnesium Hydroxide & Activated Polydimethyl Siloxane Suspension**

Composition:

Each 5 ml contains:

Dried aluminium Hydroxide Gel	I.P.	250 mg
Magnesium Hydroxide	I.P.	250 mg
Activated Polydimethyl Siloxane	I.P.	50 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Erythrosine

**5. Disodium Hydrogen Citrate syrup**

Composition:

Each 5 ml contains:

Disodium Hydrogen Citrate	I.P.	100 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Tartrazine

**6. Diphenhydramine, Ammonium Chloride, Sodium Citrate & Menthol Expectorant**

Composition:

Each 5 ml contains:

Diphenhydramine HCl	I.P.	14.08 mg
Ammonium Chloride	I.P.	138 mg
Sodium Citrate	I.P.	57.03 mg
Menthol	I.P.	1.14 mg
Set. Chloroform	I.P.	1% v/v
Flavoured Palatable Syrup Base		Q.S.

Colour: Caramel

**7. Terbutaline, Ambroxol, Guai Phenesin & Menthol Syrup**

Composition:

Each 5 ml contains:

Terbutaline Sulphate	I.P.	1.25 mg
Ambroxol HCl	I.P.	15 mg
Guai Phenesin	I.P.	50 mg
Menthol	I.P.	2.5 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Sunset Yellow FCF and Carmonise

**8. Cyproheptadine & Tricholine Citrate Syrup**

Composition:

Each 5 ml contains:

Cyproheptadine HCl	I.P.	2 mg
Tricholine Citrate	I.P.	275 mg
Flavoured Sorbitol & Syrup Base		Q.S.

Colour: Sunset Yellow FCF

**9. Citicoline Syrup**

Composition:

Each 5 ml contains:

Citicolin Sodium		
Eq. to Citicololine	I.P.	500 mg
Flavoured Syrupy Base		Q.S.

Colour: Ponceau 4 R (Colour Index 16255)

**10. Sucralfate Suspension**

Composition:

Each 10 ml contains:

Sucralfate	U.S.P.	1.0 gm
Flavoured Syrupy Base		Q.S.

Colour: Erythrosine (Colour Index 45430)

**11. Piracetam Syrup**

Composition:

Each 5 ml contains:

Piracetam	I.P.	500 mg
Flavoured Syrup Base		Q.S.

Colour: Erythrosine (Colour Index 45430)

### **12. Calcium Phosphate, Vitamin D3 & Vitamin B12 Suspension**

Composition:

Each 5 ml contains:

Di Basic Calcium Phosphate	I.P.	260 mg
Vitamin D3	I.P.	400 IU
Vitamin B12	I.P.	7.5 mcg
Flavoured Palatable Syrup Base		Q.S.

Colour: Erythrosine

### **13. Pepsin, Papain with Vitamin B Complex Syrup**

Composition:

Each 5 ml contains:

Pepsin (1:3000)	I.P.	15 mg
Papain	I.P.	25 mg
Thiamine HCl	I.P.	2 mg
Riboflavin	I.P.	1.5 mg
Pyridoxine HCl	I.P.	1 mg
Niacinamide	I.P.	20 mg
D-Panthenol	I.P.	1 mg
Flavoured palatable Syrup Base		Q.S.

Colour: Caramel

### **14. Fexofenadine Hydrochloride Suspension**

Composition:

Each 5 ml contains:

Fexofenadine Hydrochloride	I.P.	30 mg
Flavoured Syrup Base		Q.S.

Colour: Titanium Dioxide I.P.

### **15. Ondansetron Oral Solution I.P. (For Paediatric use)**

Composition:

Each 5 ml contains:

Ondansetron HCl		
Eq. to Ondansetron	I.P.	2 mg
Flavoured Syrupy Base		Q.S.

Colour: Tartrazine (Colour Index 19140) & Carmosine (Cl 14720)

### **16. Ofloxacin & Metronidazole Suspension**

Composition:

Each 5 ml contains:

Ofloxacin	I.P.	50 mg
Metronidazole Benzoate (Eq. to Metronidazole)	I.P.	100 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Tartrazine and Caramel

**17. Metronidazole Suspension**

Composition:

Each 5 ml contains:

Metronidazole	I.P.	100 mg
---------------	------	--------

(As Metronidazole Benzoate IP)

Flavoured Palatable Syrup Base		Q.S.
--------------------------------	--	------

Colour: Tartrazine

**18. Ofloxacin Suspension**

Composition:

Each 5 ml contains:

Ofloxacin	I.P.	50 mg
-----------	------	-------

Flavoured Palatable Syrup Base		Q.S.
--------------------------------	--	------

Colour: Sunset Yellow FCF

**19. Paracetamol Suspension**

Composition:

Each 5 ml contains:

Paracetamol	I.P.	125 mg
-------------	------	--------

Flavoured Palatable Syrup Base		Q.S.
--------------------------------	--	------

Colour: Caramel

**20. Ibuprofen & Paracetamol Suspension**

Composition:

Each 5 ml contains:

Ibuprofen	I.P.	100 mg
-----------	------	--------

Paracetamol	I.P.	125 mg
-------------	------	--------

Flavoured Palatable Syrup Base		Q.S.
--------------------------------	--	------

Colour: Sunset Yellow FCF

**21. Albendazole Suspension**

Composition:

Each 5 ml contains:

Albendazole	I.P.	200 mg
-------------	------	--------

Flavoured Syrup Base		Q.S.
----------------------	--	------

Colour: Erythrosine

**22. Sodium Carboxy Methyl Cellulose Eye Drops**

Composition:

Sodium Carboxy Methyl Cellulose	I.P.	0.5 % w/v
---------------------------------	------	-----------

Stabilised Oxychloro Complex		0.005 % w/v
------------------------------	--	-------------

(As Preservative)

Water for Injection		Q.S.
---------------------	--	------

**23. Moxifloxacin Eye Drops**

Composition:

Moxifloxacin HCl

Eq. to Moxifloxacin	I.P.	0.5 % w/v
---------------------	------	-----------

Benzalkonium Chloride Solution	I.P.	0.01 % w/v
--------------------------------	------	------------

Sterile Aqueous Base		Q.S.
----------------------	--	------

**24. Tobramycin Eye Drops**

Composition:

Tobramycin Sulphate

Wq. to Tobramycin	USP	0.3 % w/v
Benzalkonium Chloride Solution (As Preservative)	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**25. Tobramycin & Dexamethasone Eye Drops**

Composition:

Tobramycin Sulphate

Wq. to Tobramycin	USP	0.3 % w/v
Dexamethasone Sodium Phosphate	I.P.	0.1 % w/v
Benzalkonium Chloride Solution (As Preservative)	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**26. Ofloxacin Eye/Ear Drops**

Composition:

Ofloxacin

Benzalkonium Chloride Solution (As preservative)	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**27. Ofloxacin & Dexamethasone Eye/Ear Drops**

Composition:

Ofloxacin

Dexamethasone Sodium Phosphate	I.P.	0.1 % w/v
Benzalkonium Chloride Solution (As preservative)	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**28. Ciprofloxacin & Hydroxy Propyl Methyl Cellulose Eye Drops**

Composition:

Ciprofloxacin Hydrochloride

Eq. to Ciprofloxacin	I.P.	0.3 % w/v
Hydroxy Propyl Methyl Cellulose	I.P.	0.25 % w/v
Benzalkonium Chloride Solution (As preservative)	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**29. Ciprofloxacin & Dexamethasone Eye/Ear Drops**

Composition:

Ciprofloxacin Hydrochloride

Eq. to Ciprofloxacin	I.P.	0.3 % w/v
Dexamethasone Sodium Phosphate	I.P.	0.1 % w/v
Phenyl Mercuric Nitrate (As preservative)	I.P.	0.001 % w/v
Sterile Aqueous Base		Q.S.

**30. Dexamethasone & Neomycin Eye/Ear Drops**

Composition:

Dexamethasone Sodium Phosphate	I.P.	0.1 % w/v
Neomycin Sulphate		
Eq. to 3500 units of Neomycin per ml	I.P.	0.5 % w/v
Phenyl Mercuric Nitrate (As preservative)	I.P.	0.002 % w/v
Sterile Aqueous Base		Q.S.

**31. Oxymetazoline Nasal Drops**

Composition:

Each 1 ml contains:

Oxymetazoline Hydrochloride	USP	0.5 mg
Sterile Aqueous Base		Q.S.

**32. Xylometazoline Nasal Drops**

Composition:

Each 1 ml contains:

Xylometazoline HCl	I.P.	0.1 % w/v
Benzalkonium Chloride Sodium	I.P.	0.02 % w/v
Sterile Aqueous Base		Q.S.

**33. Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Guaiphenesin and Ammonium Chloride Syrup**

Composition:

Each 5 ml contains:

Dextromethorphan Hydrobromide	I.P.	5 mg
Chlorpheniramine Maleate	I.P.	2.5 mg
Guaiphenesin	I.P.	50 mg
Ammonium Chloride	I.P.	60 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Ponceau 4R (Colour Index 16255), Carmoisine (Colour Index 14720) &amp; Caramel I.P.

**34. Frusemide Injection I.P. (2ml Ampule)**

Composition:

Each 1 ml contains:

Frusemide	I.P.	10 mg
Water for Injection	I.P.	Q.S.

**35. Multivitamin Infusion (10ml Ampule)**

Composition:

Each 10 ml contains:

Vitamin A (Palmitate)	I.P.	10000 I.U.
Vitamin E Acetate	I.P.	5 mg
Vitamin D3	I.P.	1000 I.U.
Thiamine HCl	I.P.	50 mg
Riboflavine 5-Phosphate	I.P.	10 mg
Pyridoxine HCl	I.P.	15 mg
Niacinamide	I.P.	25 mg

D-Panthenol	I.P.	25 mg
Ascorbic Acid (As Sodium Ascorbate)	I.P.	50 mg
Benzyl Alcohol ( As Preservative)	I.P.	1.5% v/v
Water for Injection	I.P.	Q.S.

**36. Citicoline Injection (2ml Ampule)**

Composition:

Each 1 ml contains:

Citicoline Sodium e.q. to Citicoline	I.P.	250 mg
Methyl Paraben	I.P.	0.18% w/v
Propyl paraben	I.P.	0.02% w/v
Water for Injection	I.P.	Q.S.

**37. Diclofenac Sodium Injection I.P. (1ml Ampule)**

Composition:

Each 1 ml contains:

Diclofenac Sodium	I.P.	75 mg
Water for Injection	I.P.	Q.S.

**38. Ondansetron Injection (2ml Ampule)**

Composition:

Each 1 ml contains:

Ondansetron Hydrochloride as Dihydrate

e.q. to Ondansetron	I.P.	2 mg
Water for Injection	I.P.	Q.S.

**39. Iron Sucrose Injection USP (5ml Ampule)**

Composition:

Each 5 ml contains:

Ferric Hydroxide in complex with Sucrose

e.q. to Elemental Iron	I.P.	100 mg
Water for Injection	I.P.	Q.S.

**40. L-Ornithine-L-Aspartate Infusion Concentrate (10ml Ampule)**

Composition:

Each 1 ml contains:

L-Ornithine-L-Aspartate	I.P.	0.5 gm
Water for Injection	I.P.	Q.S.

**41. Diclofenac Sodium Injection I.P. (3ml Ampule & 30ml Vial)**

Composition:

Each 1 ml contains:

Diclofenac Sodium	I.P.	25 mg
Benzyl Alcohol	i.P.	4% w/v
Water for Injection	I.P.	Q.S.

**42. Gentamicin Sulphate Injection (2ml Ampule/Vial & 10ml Vial)**

Composition:

Each 1 ml contains:

Gentamicin Sulphate e.q. to Gentamicin	I.P.	40 mg
Methyl Paraben (As preservative)	I.P.	0.15% w/v
Propyl paraben (As preservative)	I.P.	0.02% w/v
Water for Injection	I.P.	Q.S.

**43. Dexamethasone Sodium Phosphate Injection (2ml Ampule/Vial & 10ml Vial)**

Composition:

Each 1 ml contains:

Dexamethasone Sodium Phosphate

e.q. to Dexamethasone	I.P.	40 mg
Methyl Paraben (As preservative)	I.P.	0.15% w/v
Propyl paraben (As preservative)	I.P.	0.02% w/v
Water for Injection	I.P.	Q.S.

**44. Dicyclomine Hydrochloride Injection**

Composition:

Each 1 ml contains:

Dicyclomine Hydrochloride	I.P.	10 mg
Water for Injection	I.P.	Q.S.

**45. Amikacin Sulphate Injection (2ml & 10ml Vial)**

Composition:

Each 2 ml contains:

Amikacin Sulphate e.q. to Amikacin	I.P.	100 mg
Water for Injection	I.P.	Q.S.

**46. Amikacin Sulphate Injection (2ml & 10ml Vial)**

Composition:

Each 2 ml contains:

Amikacin Sulphate e.q. to Amikacin	I.P.	500 mg
Water for Injection	I.P.	Q.S.

**47. Nikethamide Injection (2ml Ampule)**

Composition:

Each 1 ml contains:

Nikethamide	I.P.	0.25 mg
Water for Injection	I.P.	Q.S.

**48. Paracetamol Injection (2ml & 10ml Vial)**

Composition:

Each 1 ml contains:

Paracetamol	I.P.	150 mg
Benzyl Alcohol	I.P.	1.5% w/v
Water for Injection	I.P.	Q.S.

**49. Etophylline & Theophylline Injection (2ml Ampule)**

Composition:

Each 2 ml contains:

Etophylline	B.P.	169.4 mg
Theophylline	I.P.	50.6 mg
Water for Injection	I.P.	Q.S.



**50. Vitamin B1, B6,B12 & Calcium Pantothenate Injection (3ml Ampule & 10ml Vial)**

Composition:

Each 1 ml contains:

Thiamine Hydrochloride	I.P.	2 mg
Pyridoxine Hydrochloride	I.P.	2 mg
Cyanocobalamine	I.P.	200 mcg
Calcium Pantothenate	I.P.	1000 mcg
Benzyl Alcohol (As preservative)	I.P.	1.5% w/v
Water for Injection	I.P.	Q.S.

**51. Vitamin B-Complex Injection (2ml Ampule & 10ml Vial)**

Composition:

Each 2 ml contains:

Thiamine Hydrochloride	I.P.	10 mg
Pyridoxine Hydrochloride	I.P.	4 mg
Cyanocobalamine	I.P.	8 mcg
Riboflavin 5-Phosphate Injection	I.P.	4 mg
Nicotinamide	I.P.	40 mg
D-Panthenol	I.P.	6 mg
Benzyl Alcohol (As preservative)	I.P.	0.9% w/v
Water for Injection	I.P.	Q.S.

**52. Norfloxacin & Metronidazole Suspension**

Composition:

Each 5 ml contains:

Norfloxacin	I.P.	100 mg
Metronidazole Benzoate (Eq. to Metronidazole)	I.P.	100 mg
Flavoured Palatable Syrup Base		Q.S.

**53. Metronidazole & Furazolidone Suspension**

Composition:

Each 5 ml contains:

Metronidazole Benzoate (Eq. to Metronidazole)	I.P.	100 mg
Furazolidone	I.P.	30 mg
Flavoured Palatable Syrup Base		Q.S.

**54. Trimethoprim & Sulphamethoxazole Suspension**

Composition:

Each 5 ml contains:

Trimethoprim	I.P.	40 mg
Sulphamethoxazole	I.P.	200 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Ponceau 4R

**55. Diphenhydramine, Ammonium Chloride, Sodium Citrate & Menthol Expectorant**

## Composition:

Each 5 ml contains:

Diphenhydramine HCl	I.P.	14 mg
Ammonium Chloride	I.P.	135 mg
Sodium Citrate	I.P.	50 mg
Menthol	I.P.	1 mg
Flavoured Palatable Syrup Base		Q.S.

Colour: Tartrazine and Caramel

**56. Iron with Vitamin B-Complex syrup (For Prophylactic use)**

## Composition:

Each 5 ml contains:

Ferric Ammonium Citrate	I.P.	50 mg
Vitamin B1	I.P.	1 msg
Vitamin B2	I.P.	1 mg
Vitamin B6	I.P.	0.5 mg
Vitamin B12	I.P.	0.5 mcg
D-Panthenol	I.P.	2.5 mg
Flavoured Palatable Syrup Base	I.P.	Q.S.

Colour: Caramel

**57. Timolol Eye/Ear Drops**

## Composition:

Timolol maleate

Eq. to Timolol I.P. 0.25% w/v

Benzalkonium Chloride Solution I.P. 0.01% w/v

(As preservative)

Sterile Aqueous Base Q.S.

**58. Norfloxacin Eye/Ear Drops**

## Composition:

Norfloxacin I.P. 0.3% w/v

Benzalkonium Chloride Solution I.P. 0.01% w/v

(As preservative)

Sterile Aqueous Base Q.S.

**59. Gentamicin Eye/Ear Drops**

## Composition:

Gentamicin Sulphate

Eq. to Gentamicin Base I.P. 0.3% w/v

Benzalkonium Chloride Solution I.P. 0.01% w/v

(As preservative)

Sterile Aqueous Base Q.S.

**60. Pe Floxacin Eye/Ear Drops**

## Composition:

Pe Floxacine Mesylate Dihydrate

Eq. to Pe Floxacin I.P. 0.3% w/v

Methyl Paraben	I.P.	0.05 % w/v
Propyl paraben	I.P.	0.01 % w/v
Sterile Aqueous Base		Q.S.

**61. Ketrolac Tromethamine Eye Drops**

Composition:

Ketrolac Tromethamine	I.P.	0.5% w/v
Benzalkonium Chloride Solution (As preservative)	I.P.	0.01% w/v
Sterile Aqueous Base		Q.S.

**62. Flurbiprofen Eye Drops**

Composition:

Flurbiprofen Sodium	I.P.	0.03% w/v
Phenyl Mercuric Nitrate (As preservative)	I.P.	0.002% w/v
Sterile Aqueous Base		Q.S.

**63. Gatifloxacin Eye Drops**

Composition:

Gatifloxacin	I.P.	0.3% w/v
Benzalkonium Chloride Solution (As preservative)	I.P.	0.01% w/v
Sterile Aqueous Base		Q.S.

**64. Pilocarpine Eye Drops**

Composition:

Pilocarpine Nitrate	I.P.	0.3% w/v
Phenyl Mercuric Nitrate	I.P.	0.004% w/v
Methyl Hydroxy Benzoate	I.P.	0.023% w/v
Propyl Hydroxy Benzoate	I.P.	0.011% w/v
Boric Acid & sodium Acetate Buffer	I.P.	Q.S.

**65. Betamethasone & Neomycin Eye/Ear Drops**

Composition:

Betamethasone Sodium Phosphate	I.P.	0.1% w/v
Neomycin Sulphate Eq. to 3500 units of Neomycin per ml	I.P.	0.5% w/v
Phenyl Mercuric Nitrate (As preservative)	I.P.	0.002% w/v
Sterile Aqueous Base		Q.S.

**66. Dexamethasone & Chloramphenicol Eye/Ear Drops**

Composition:

Dexamethasone Sodium Phosphate	I.P.	0.1% w/v
Chloramphenicol	I.P.	1% w/v
Phenyl Mercuric Nitrate (As preservative)	I.P.	0.002% w/v
Sterile Aqueous Base		Q.S.

**67. Dexamethasone & Gentamicin Eye/Ear Drops**

Composition:

Dexamethasone Sodium Phosphate	I.P.	0.1 % w/v
Gentamicin Sulphate		
Eq. to Gentamicin Base	I.P.	0.3 % w/v
Phenyl Mercuric Nitrate	I.P.	0.002 % w/v
(As preservative)		
Sterile Aqueous Base		Q.S.

**68. Tropicamide & Phenyl Ephedrine Eye/Ear Drops**

Composition:

Tropicamide	I.P.	0.8 % w/v
Phenyl Ephedrine	I.P.	5% w/v
Chlorbutol	I.P.	0.5 % w/v
(As preservative)		
Sterile Aqueous Base		Q.S.

**69. Dexamethasone & Chloramphenicol Eye/Ear Drops**

Composition:

Dexamethasone Sodium Phosphate	I.P.	0.1% w/v
Chloramphenicol	I.P.	0.5% w/v
Phenyl Mercuric Nitrate	I.P.	0.002% w/v
(As preservative)		
Sterile Aqueous Base		Q.S.

**70. Dexamethasone & Neomycin Eye/Ear Drops**

Composition:

Dexamethasone Sodium Phosphate		
e.q. to Dexamethasone Phosphate	I.P.	0.1% w/v
Neomycin Sulphate		
Eq. to 3500 units of Neomycin per ml	I.P.	0.5% w/v
Benzalkonium Chloride Solution	I.P.	0.01% w/v
(As preservative)		
Sterile Aqueous Base		Q.S.

**71. Chloramphenicol, Beclomethasone, Clotrimazole & Lignocaine Ear Drops**

Composition:

Chloramphenicol	I.P.	5% w/v
Beclomethasone Dipropionate	I.P.	0.025% w/v
Clotrimazole	I.P.	1% w/v
Lignocaine Hydrochloride	I.P.	2% w/v
Oily Excipients		Q.S.